
TABLE OF CONTENT

(Click on the drawing name below to be directed to the right section.)


2-1/2" V-Groove 4" V-Groove 6" V-Groove 6" Channel 6" Smooth Plank 2-1/2" V-Groove Perforated 6" V-Groove Perforated 6" Smooth Perforated Traditional starter strip Traditional Back-to-Back starter Traditional Two-Piece J-Track Traditional Termination set Traditional corner set **Traditional Compression Joint** Traditional T&G U-Reveal Traditional Flat Reveal Traditional U-Reveal set Traditional Offset Reveal Set, J-Track base Traditional Offset Reveal Set, Termination base Traditional End Sleeve (1-1/2") **Precision Starter J-Track Precision J-Track** Precision Two-Piece J-Track **Precision Termination Set** Precision Outside Corner Precision T&G Flat Reveal Precision Flat Reveal Craftsman Two-Piece J-Track Craftsman Inside Corner Craftsman Outside Corner Craftsman T&G U-Reveal Craftsman U-Reveal Set **Craftsman Termination Set** Craftsman End Sleeve (3/4") **Quick Screen Clip** 



For complete installation instructions refer to the appropriate documentation at www.longboardsuppliers.com/installation

2-1/2" V-GROOVE ALUMINUM ALLOY: 6063-T5 WEIGHT: 0.298 LBS/ LF SCALE: 1:1






For complete installation instructions refer to the appropriate documentation at www.longboardsuppliers.com/installation


4" V-GROOVE ALUMINUM ALLOY: 6063-T5 WEIGHT: 0.407 LBS/ LF SCALE: 1:1






ALUMINUM ALLOY: 6063-T5 WEIGHT: 0.551 LBS/ LF SCALE: 1:1





6" CHANNEL ALUMINUM ALLOY: 6063-T5 WEIGHT: 0.556 LBS/ LF SCALE: 1:1






For complete installation instructions refer to the appropriate documentation at www.longboardsuppliers.com/installation

**6" SMOOTH PLANK** ALUMINUM ALLOY: 6063-T5 WEIGHT: 0.609 LBS/ LF SCALE: 1:1






For complete installation instructions refer to the appropriate documentation at www.longboardsuppliers.com/installation

2-1/2" V-GROOVE PERFORATED ALUMINUM ALLOY: 6063-T5 WEIGHT: 0.263 LBS/ LF NFA: 23.33% SCALE: 1:1






Mayne Coatings Corp. and Longboard products accepts no liability in respect to the use of these drawings.

For complete installation instructions refer to the appropriate documentation at www.longboardsuppliers.com/installation

6" V-GROOVE PERFORATED ALUMINUM ALLOY: 6063-T5 WEIGHT: 0.447 LBS/ LF NFA: 29% SCALE: 1:1






Mayne Coatings Corp. and Longboard products accepts no liability in respect to the use of these drawings.

For complete installation instructions refer to the appropriate documentation at www.longboardsuppliers.com/installation

6" SMOOTH PERFORATED ALUMINUM ALLOY: 6063-T5 WEIGHT: 0.492 LBS/ LF NFA: 29% SCALE: 1:1






For complete installation instructions refer to the appropriate documentation at www.longboardsuppliers.com/installation

TRADITIONAL STARTER STRIP (1-7/8") ALUMINUM ALLOY: 6063-T5 WEIGHT: 0.164 LBS/ LF SCALE: 2:1






Mayne Coatings Corp. and Longboard products accepts no liability in respect to the use of these drawings.

For complete installation instructions refer to the appropriate documentation at www.longboardsuppliers.com/installation


TRADITIONAL BACK-TO-BACK STARTER STRIP (1-1/4") ALUMINUM ALLOY: 6063-T5 WEIGHT: 0.154 LBS/ LF SCALE: 2:1 LONGBOARD<sup>®</sup> ARCHITECTURAL PRODUCTS



For complete installation instructions refer to the appropriate documentation at www.longboardsuppliers.com/installation

TRADITIONAL TWO PIECE J-TRACK (1-3/8") ALUMINUM ALLOY: 6063-T5 WEIGHT: 0.215 LBS/ LF SCALE: 2:1






For complete installation instructions refer to the appropriate documentation at www.longboardsuppliers.com/installation

TRADITIONAL TERMINATION SET (1-3/8") ALUMINUM ALLOY: 6063-T5 WEIGHT: 0.276 LBS/ LF SCALE: 2:1






mayne coalings corp, and consported products accepts no maximy in respect to the use of these drawings.

For complete installation instructions refer to the appropriate documentation at www.longboardsuppliers.com/installation

TRADITIONAL CORNER SET (2") ALUMINUM ALLOY: 6063-T5 WEIGHT: 0.598 LBS/ LF SCALE: 1:1






Mayne Coatings Corp. and Longboard products accepts no liability in respect to the use of these drawings.

For complete installation instructions refer to the appropriate documentation at www.longboardsuppliers.com/installation

TRADITIONAL COMPRESSION JOINT (1-3/8") ALUMINUM ALLOY: 6063-T5 WEIGHT: 0.418 LBS/ LF SCALE: 1:1






Mayne Coatings Corp. and Longboard products accepts no liability in respect to the use of these drawings.

For complete installation instructions refer to the appropriate documentation at www.longboardsuppliers.com/installation

TRADITIONAL T&G U-REVEAL (1-1/2") ALUMINUM ALLOY: 6063-T5 WEIGHT: 0.260 LBS/ LF SCALE: 2:1






For complete installation instructions refer to the appropriate documentation at www.longboardsuppliers.com/installation

TRADITIONAL FLAT REVEAL SET (1-1/2") ALUMINUM ALLOY: 6063-T5 WEIGHT: 0.326 LBS/ LF SCALE: 2:1






Mayne Coatings Corp. and Longboard products accepts no liability in respect to the use of these drawings.

For complete installation instructions refer to the appropriate documentation at www.longboardsuppliers.com/installation

TRADITIONAL U-REVEAL SET (1-1/2") ALUMINUM ALLOY: 6063-T5 WEIGHT: 0.302 LBS/ LF SCALE: 2:1






Mayne Coatings Corp. and Longboard products accepts no liability in respect to the use of these drawings.

For complete installation instructions refer to the appropriate documentation at www.longboardsuppliers.com/installation

TRADITIONAL OFFSET REVEAL SET, J-TRACK BASE (2") ALUMINUM ALLOY: 6063-T5 WEIGHT: 0.263 LBS/ LF

DY: 6063-T5 263 LBS/ LF SCALE: 2:1 ARCHTETURAL PRODUCTS




Mayne Coatings Corp. and Longboard products accepts no liability in respect to the use of these drawings.

For complete installation instructions refer to the appropriate documentation at www.longboardsuppliers.com/installation

TRADITIONAL OFFSET REVEAL SET, TERMINATION BASE (2") ALUMINUM ALLOY: 6063-T5 WEIGHT: 0.308 LBS/ LF

SCALE: 2:1






Mayne Coatings Corp. and Longboard products accepts no liability in respect to the use of these drawings.

For complete installation instructions refer to the appropriate documentation at www.longboardsuppliers.com/installation

TRADITIONAL END SLEEVE (1-1/2") STAINLESS STEEL: 304 WEIGHT: 0.023 LBS/ LF SCALE: 1:1






For complete installation instructions refer to the appropriate documentation at www.longboardsuppliers.com/installation

PRECISION STARTER J-TRACK (5/8') ALUMINUM ALLOY: 6063-5T WEIGHT: 0.198 LBS/ LF SCALE: 2:1






For complete installation instructions refer to the appropriate documentation at www.longboardsuppliers.com/installation

PRECISION J-TRACK (5/8") ALUMINUM ALLOY: 6063-T5 WEIGHT: 0.175 LBS/ LF SCALE: 2:1






For complete installation instructions refer to the appropriate documentation at www.longboardsuppliers.com/installation

PRECISION TWO PIECE J-TRACK (5/8") ALUMINUM ALLOY: 6063-T5 WEIGHT: 0.173 LBS/ LF SCALE: 2:1






For complete installation instructions refer to the appropriate documentation at www.longboardsuppliers.com/installation

PRECISION TERMINATION SET (5/8") ALUMINUM ALLOY: 6063-T5 WEIGHT: 0.234 LBS/ LF SCALE: 2:1






For complete installation instructions refer to the appropriate documentation at www.longboardsuppliers.com/installation

PRECISION OUTSIDE CORNER (3/16") ALUMINUM ALLOY: 6063-T5 WEIGHT: 0.247 LBS/ LF SCALE: 1:1






For complete installation instructions refer to the appropriate documentation at www.longboardsuppliers.com/installation

PRECISION T&G FLAT REVEAL (1/2") ALUMINUM ALLOY: 6063-T5 WEIGHT: 0.130 LBS/ LF SCALE: 2:1






Mayne Coatings Corp. and Longboard products accepts no liability in respect to the use of these drawings.

For complete installation instructions refer to the appropriate documentation at www.longboardsuppliers.com/installation

PRECISION FLAT REVEAL (1/2") ALUMINUM ALLOY: 6063-T5 WEIGHT: 0.175 LBS/ LF SCALE: 2:1






For complete installation instructions refer to the appropriate documentation at www.longboardsuppliers.com/installation

CRAFTSMAN TWO PIECE J-TRACK (7/8") ALUMINUM ALLOY: 6063-T5 WEIGHT: 0.183 LBS/ LF SCALE: 2:1






For complete installation instructions refer to the appropriate documentation at www.longboardsuppliers.com/installation

CRAFTSMAN INSIDE CORNER (3/4") ALUMINUM ALLOY: 6063-T5 WEIGHT: 0.377 LBS/ LF SCALE: 1:1






Mayne Coatings Corp. and Longboard products accepts no liability in respect to the use of these drawings.

For complete installation instructions refer to the appropriate documentation at www.longboardsuppliers.com/installation

CRAFTSMAN OUTSIDE CORNER (1") ALUMINUM ALLOY: 6063-T5 WEIGHT: 0.374 LBS/ LF SCALE: 1:1






For complete installation instructions refer to the appropriate documentation at www.longboardsuppliers.com/installation

CRAFTSMAN T&G U-REVEAL (3/4") ALUMINUM ALLOY: 6063-T5 WEIGHT: 0.149 LBS/ LF SCALE: 2:1






3/4"

These drawings are published as an information guide only. These CAD drawings are intended as templates to assist the designer, they do not contain the full detail required for construction and must be read in conjunction with the installation instructions on www.longboardproducts.com. You should obtain architectural, engineering or other technical advice to assess the suitability of these drawings to the requirements of your particular project. Mayne Coatings Corp. and Longboard products accepts no liability in respect to the use of these drawings.

For complete installation instructions refer to the appropriate documentation at www.longboardsuppliers.com/installation

CRAFTSMAN U-REVEAL SET (3/4") ALUMINUM ALLOY: 6063-T5 WEIGHT: 0.229 LBS/ LF SCALE: 2:1






For complete installation instructions refer to the appropriate documentation at www.longboardsuppliers.com/installation

CRAFTSMAN TERMINATION SET (7/8") ALUMINUM ALLOY: 6063-T5 WEIGHT: 0.204 LBS/ LF SCALE: 2:1






Mayne Coatings Corp. and Longboard products accepts no liability in respect to the use of these drawings.


For complete installation instructions refer to the appropriate documentation at www.longboardsuppliers.com/installation


CRAFTSMAN END SLEEVE (3/4") STAINLESS STEEL: 304



SCALE: 2:1







Mayne Coatings Corp. and Longboard products accepts no liability in respect to the use of these drawings.

For complete installation instructions refer to the appropriate documentation at www.longboardsuppliers.com/installation

QUICK SCREEN CLIP STAINLESS STEEL: 316 WEIGHT: 0.013 LBS SCALE: 2:1

