
TABLE OF CONTENT

(Click on the drawing name below to be directed to the right section.)

3
2-1/2" V-GROOVE
4" V-GROOVE
6" V-GROOVE
6" CHANNEL
6" SMOOTH PLANK
2-1/2" V-GROOVE PERFORATED
6" V-GROOVE PERFORATED
6" SMOOTH PLANK PERFORATED
TRADITIONAL STARTER STRIP (1-7/8")
TRADITIONAL BACK-TO-BACK STARTER STRIP (1-1/4")
TRADITIONAL TWO PIECE J-TRACK (1-3/8")
TRADITIONAL TERMINATION SET (1-3/8")
TRADITIONAL CORNER SET (2")
TRADITIONAL COMPRESSION JOINT (1-3/8")
TRADITIONAL T&G U-REVEAL (1-1/2")
TRADITIONAL FLAT REVEAL SET (1-1/2")
TRADITIONAL U-REVEAL SET (1-1/2")
TRADITIONAL OFFSET REVEAL SET, J-TRACK BASE (2")
TRADITIONAL OFFSET REVEAL SET, TERMINATION BASE (2")
TRADITIONAL END SLEEVE (1-1/2")
PRECISION STARTER J-TRACK (5/8")
PRECISION J-TRACK (5/8")
PRECISION TWO PIECE J-TRACK (5/8")
PRECISION TERMINATION SET (5/8")
PRECISION OUTSIDE CORNER (3/16")
PRECISION T&G FLAT REVEAL (1/2")
PRECISION FLAT REVEAL (1/2")
CRAFTSMAN TWO PIECE J-TRACK (7/8")
CRAFTSMAN OUTSIDE CORNER (1")
CRAFTSMAN INSIDE CORNER (3/4")
CRAFTSMAN T&G U-REVEAL (3/4")
CRAFTSMAN U-REVEAL SET (3/4")
CRAFTSMAN TERMINATION SET (7/8")
CRAFTSMAN END SLEEVE (3/4")
QUICK SCREEN CLIP




Mayne Coatings Corp. and Longboard products accepts no liability in respect to the use of these drawings.

For complete installation instructions refer to the appropriate documentation here www.longboardproducts.com/resources/technical-documentation/installation-guides

2-1/2" V-GROOVE ALUMINUM ALLOY: 6063-T5 WEIGHT: 0.298 LBS/ LF






Mayne Coatings Corp. and Longboard products accepts no liability in respect to the use of these drawings.

For complete installation instructions refer to the appropriate documentation here www.longboardproducts.com/resources/technical-documentation/installation-guides

4" V-GROOVE ALUMINUM ALLOY: 6063-T5 WEIGHT: 0.407 LBS/ LF






Mayne Coatings Corp. and Longboard products accepts no liability in respect to the use of these drawings.

For complete installation instructions refer to the appropriate documentation here www.longboardproducts.com/resources/technical-documentation/installation-guides

6" V-GROOVE ALUMINUM ALLOY: 6063-T5 WEIGHT: 0.551 LBS/ LF






Mayne Coatings Corp. and Longboard products accepts no liability in respect to the use of these drawings.

For complete installation instructions refer to the appropriate documentation here www.longboardproducts.com/resources/technical-documentation/installation-guides

6" CHANNEL ALUMINUM ALLOY: 6063-T5 WEIGHT: 0.556 LBS/ LF







Mayne Coatings Corp. and Longboard products accepts no liability in respect to the use of these drawings.

For complete installation instructions refer to the appropriate documentation here www.longboardproducts.com/resources/technical-documentation/installation-guides

6" SMOOTH PLANK ALUMINUM ALLOY: 6063-T5 WEIGHT: 0.609 LBS/ LF







Mayne Coatings Corp. and Longboard products accepts no liability in respect to the use of these drawings.


For complete installation instructions refer to the appropriate documentation here www.longboardproducts.com/resources/technical-documentation/installation-guides


2-1/2" V-GROOVE PERFORATED

ALUMINUM ALLOY: 6063-T5 WEIGHT: 0.263 LBS/ LF

> NFA: 18% SCALE: 1:1







Mayne Coatings Corp. and Longboard products accepts no liability in respect to the use of these drawings.


For complete installation instructions refer to the appropriate documentation here www.longboardproducts.com/resources/technical-documentation/installation-guides


6" V-GROOVE PERFORATED

ALUMINUM ALLOY: 6063-T5 WEIGHT: 0.447 LBS/ LF

NFA: 21%







Mayne Coatings Corp. and Longboard products accepts no liability in respect to the use of these drawings.


For complete installation instructions refer to the appropriate documentation here www.longboardproducts.com/resources/technical-documentation/installation-guides

6" SMOOTH PERFORATED

ALUMINUM ALLOY: 6063-T5 WEIGHT: 0.492 LBS/ LF

NFA: 21%






Mayne Coatings Corp. and Longboard products accepts no liability in respect to the use of these drawings.

For complete installation instructions refer to the appropriate documentation here www.longboardproducts.com/resources/technical-documentation/installation-guides

TRADITIONAL STARTER STRIP (1-7/8")

ALUMINUM ALLOY: 6063-T5 WEIGHT: 0.164 LBS/ LF






Mayne Coatings Corp. and Longboard products accepts no liability in respect to the use of these drawings.

For complete installation instructions refer to the appropriate documentation here www.longboardproducts.com/resources/technical-documentation/installation-guides

TRADITIONAL BACK-TO-BACK STARTER STRIP (1-1/4")

ALUMINUM ALLOY: 6063-T5 WEIGHT: 0.154 LBS/ LF






Mayne Coatings Corp. and Longboard products accepts no liability in respect to the use of these drawings.

For complete installation instructions refer to the appropriate documentation here www.longboardproducts.com/resources/technical-documentation/installation-guides

TRADITIONAL TWO PIECE J-TRACK (1-3/8")

ALUMINUM ALLOY: 6063-T5 WEIGHT: 0.215 LBS/ LF






Mayne Coatings Corp. and Longboard products accepts no liability in respect to the use of these drawings.

For complete installation instructions refer to the appropriate documentation here www.longboardproducts.com/resources/technical-documentation/installation-guides

TRADITIONAL TERMINATION SET (1-3/8")

ALUMINUM ALLOY: 6063-T5 WEIGHT: 0.276 LBS/ LF






Mayne Coatings Corp. and Longboard products accepts no liability in respect to the use of these drawings.

For complete installation instructions refer to the appropriate documentation here www.longboardproducts.com/resources/technical-documentation/installation-guides

TRADITIONAL CORNER SET (2")

ALUMINUM ALLOY: 6063-T5 WEIGHT: 0.598 LBS/ LF






Mayne Coatings Corp. and Longboard products accepts no liability in respect to the use of these drawings.

For complete installation instructions refer to the appropriate documentation here www.longboardproducts.com/resources/technical-documentation/installation-guides

TRADITIONAL COMPRESSION JOINT (1-3/8")

ALUMINUM ALLOY: 6063-T5 WEIGHT: 0.418 LBS/ LF






Mayne Coatings Corp. and Longboard products accepts no liability in respect to the use of these drawings.

For complete installation instructions refer to the appropriate documentation here www.longboardproducts.com/resources/technical-documentation/installation-guides

TRADITIONAL T&G U-REVEAL (1-1/2")

ALUMINUM ALLOY: 6063-T5 WEIGHT: 0.260 LBS/ LF






Mayne Coatings Corp. and Longboard products accepts no liability in respect to the use of these drawings.

For complete installation instructions refer to the appropriate documentation here www.longboardproducts.com/resources/technical-documentation/installation-guides

TRADITIONAL FLAT REVEAL SET (1-1/2")

ALUMINUM ALLOY: 6063-T5 WEIGHT: 0.326 LBS/ LF






Mayne Coatings Corp. and Longboard products accepts no liability in respect to the use of these drawings.

For complete installation instructions refer to the appropriate documentation here www.longboardproducts.com/resources/technical-documentation/installation-guides

TRADITIONAL U-REVEAL SET (1-1/2")

ALUMINUM ALLOY: 6063-T5 WEIGHT: 0.302 LBS/ LF






Mayne Coatings Corp. and Longboard products accepts no liability in respect to the use of these drawings.

For complete installation instructions refer to the appropriate documentation here www.longboardproducts.com/resources/technical-documentation/installation-guides

TRADITIONAL OFFSET REVEAL SET, J-TRACK BASE (2")

ALUMINUM ALLOY: 6063-T5 WEIGHT: 0.263 LBS/ LF






Mayne Coatings Corp. and Longboard products accepts no liability in respect to the use of these drawings.

For complete installation instructions refer to the appropriate documentation here www.longboardproducts.com/resources/technical-documentation/installation-guides

TRADITIONAL OFFSET REVEAL SET, TERMINATION BASE (2")

ALUMINUM ALLOY: 6063-T5 WEIGHT: 0.308 LBS/ LF






Mayne Coatings Corp. and Longboard products accepts no liability in respect to the use of these drawings.

For complete installation instructions refer to the appropriate documentation here www.longboardproducts.com/resources/technical-documentation/installation-guides

TRADITIONAL END SLEEVE (1-1/2")

STAINLESS STEEL: 304 WEIGHT: 0.023 LBS/ LF






Mayne Coatings Corp. and Longboard products accepts no liability in respect to the use of these drawings.

For complete installation instructions refer to the appropriate documentation here www.longboardproducts.com/resources/technical-documentation/installation-guides

PRECISION STARTER J-TRACK (5/8')

ALUMINUM ALLOY: 6063-5T WEIGHT: 0.198 LBS/ LF






Mayne Coatings Corp. and Longboard products accepts no liability in respect to the use of these drawings.

For complete installation instructions refer to the appropriate documentation here www.longboardproducts.com/resources/technical-documentation/installation-guides

PRECISION J-TRACK (5/8")
ALUMINUM ALLOY: 6063-T5
WEIGHT: 0.175 LBS/ LF






Mayne Coatings Corp. and Longboard products accepts no liability in respect to the use of these drawings.

For complete installation instructions refer to the appropriate documentation here www.longboardproducts.com/resources/technical-documentation/installation-guides

PRECISION TWO PIECE J-TRACK (5/8")

ALUMINUM ALLOY: 6063-T5 WEIGHT: 0.173 LBS/ LF






Mayne Coatings Corp. and Longboard products accepts no liability in respect to the use of these drawings.

For complete installation instructions refer to the appropriate documentation here www.longboardproducts.com/resources/technical-documentation/installation-guides

PRECISION TERMINATION SET (5/8")

ALUMINUM ALLOY: 6063-T5 WEIGHT: 0.234 LBS/ LF






Mayne Coatings Corp. and Longboard products accepts no liability in respect to the use of these drawings.

For complete installation instructions refer to the appropriate documentation here www.longboardproducts.com/resources/technical-documentation/installation-guides

PRECISION OUTSIDE CORNER (3/16")

ALUMINUM ALLOY: 6063-T5 WEIGHT: 0.247 LBS/ LF






Mayne Coatings Corp. and Longboard products accepts no liability in respect to the use of these drawings.

For complete installation instructions refer to the appropriate documentation here www.longboardproducts.com/resources/technical-documentation/installation-guides

PRECISION T&G FLAT REVEAL (1/2")

ALUMINUM ALLOY: 6063-T5 WEIGHT: 0.130 LBS/ LF






Mayne Coatings Corp. and Longboard products accepts no liability in respect to the use of these drawings.

For complete installation instructions refer to the appropriate documentation here www.longboardproducts.com/resources/technical-documentation/installation-guides

PRECISION FLAT REVEAL (1/2")

ALUMINUM ALLOY: 6063-T5 WEIGHT: 0.175 LBS/ LF






Mayne Coatings Corp. and Longboard products accepts no liability in respect to the use of these drawings.

For complete installation instructions refer to the appropriate documentation here www.longboardproducts.com/resources/technical-documentation/installation-guides

CRAFTSMAN TWO PIECE J-TRACK (7/8")

ALUMINUM ALLOY: 6063-T5 WEIGHT: 0.183 LBS/ LF






Mayne Coatings Corp. and Longboard products accepts no liability in respect to the use of these drawings.

For complete installation instructions refer to the appropriate documentation here www.longboardproducts.com/resources/technical-documentation/installation-guides

CRAFTSMAN INSIDE CORNER (3/4")

ALUMINUM ALLOY: 6063-T5 WEIGHT: 0.377 LBS/ LF






Mayne Coatings Corp. and Longboard products accepts no liability in respect to the use of these drawings.

For complete installation instructions refer to the appropriate documentation here www.longboardproducts.com/resources/technical-documentation/installation-guides

CRAFTSMAN OUTSIDE CORNER (1")

ALUMINUM ALLOY: 6063-T5 WEIGHT: 0.374 LBS/ LF






Mayne Coatings Corp. and Longboard products accepts no liability in respect to the use of these drawings.

For complete installation instructions refer to the appropriate documentation here www.longboardproducts.com/resources/technical-documentation/installation-guides

CRAFTSMAN T&G U-REVEAL (3/4")

ALUMINUM ALLOY: 6063-T5 WEIGHT: 0.149 LBS/ LF






Mayne Coatings Corp. and Longboard products accepts no liability in respect to the use of these drawings.

For complete installation instructions refer to the appropriate documentation here www.longboardproducts.com/resources/technical-documentation/installation-guides

CRAFTSMAN U-REVEAL SET (3/4")

ALUMINUM ALLOY: 6063-T5 WEIGHT: 0.229 LBS/ LF






Mayne Coatings Corp. and Longboard products accepts no liability in respect to the use of these drawings.

For complete installation instructions refer to the appropriate documentation here www.longboardproducts.com/resources/technical-documentation/installation-guides

CRAFTSMAN TERMINATION SET (7/8")

ALUMINUM ALLOY: 6063-T5 WEIGHT: 0.204 LBS/ LF







Mayne Coatings Corp. and Longboard products accepts no liability in respect to the use of these drawings.


For complete installation instructions refer to the appropriate documentation here www.longboardproducts.com/resources/technical-documentation/installation-guides

CRAFTSMAN END SLEEVE (3/4") STAINLESS STEEL: 304









Mayne Coatings Corp. and Longboard products accepts no liability in respect to the use of these drawings.

For complete installation instructions refer to the appropriate documentation here www.longboardproducts.com/resources/technical-documentation/installation-guides

QUICK SCREEN CLIP STAINLESS STEEL: 316

> WEIGHT: 0.013 LBS SCALE: 2:1

