EXTERIOR T&G PROFILES

TABLE OF CONTENT

(Click on the drawing name below to be directed to the right profile)

2-1/2" V-GROOVE

4" V-GROOVE

6" V-GROOVE

6" CHANNEL

6" SMOOTH PLANK

2-1/2" V-GROOVE PERFORATED

6" V-GROOVE PERFORATED

6" SMOOTH PLANK PERFORATED

3" SMOOTH CORNER PLANK

3" V-GROOVE CORNER PLANK

4" CASTELLATION PLANK

8" CASTELLATION PLANK

6" SINGLE BEVEL PLANK

6" TRIPLE BEVEL PLANK

TRADITIONAL STARTER STRIP (1-7/8")

TRADITIONAL BACK-TO-BACK STARTER STRIP (1-1/4")

TRADITIONAL TWO PIECE J-TRACK (1-3/8")

TRADITIONAL TERMINATION SET (1-3/8")

TRADITIONAL CORNER SET (2")

TRADITIONAL COMPRESSION JOINT (1-3/8")

TRADITIONAL T&G U-REVEAL (1-1/2")

TRADITIONAL FLAT REVEAL SET (1-1/2")

TRADITIONAL U-REVEAL SET (1-1/2")

TRADITIONAL OFFSET REVEAL, J-TRACK BASE (2")

TRADITIONAL OFFSET REVEAL, TERMINATION BASE (2")

TRADITIONAL END SLEEVE (1-1/2")

PRECISION STARTER J-TRACK (5/8")

PRECISION J-TRACK (5/8")

PRECISION TWO PIECE J-TRACK (5/8")

PRECISION TERMINATION SET (5/8")

PRECISION OUTSIDE CORNER (3/16")

PRECISION T&G FLAT REVEAL (1/2")

PRECISION FLAT REVEAL (1/2")

CRAFTSMAN TWO PIECE J-TRACK (7/8")

CRAFTSMAN INSIDE CORNER (3/4")

CRAFTSMAN OUTSIDE CORNER (1")

CRAFTSMAN T&G U-REVEAL (3/4")


CRAFTSMAN U-REVEAL SET (3/4")

CRAFTSMAN TERMINATION SET (7/8")

CRAFTSMAN END SLEEVE (3/4")


CRAFTSMAN J-TRACK (5/8")

QUICK SCREEN CLIP



2-1/2" V-GROOVE ALUMINUM ALLOY: 6063-T5 WEIGHT: 0.309 LBS/ LF SCALE: 1:1





	6 5/8" [168.70MM] 6" 	
These drawings are published as an information guide only. These CAD drawings are intended as templates to assist the designer, they do not contain the full detail required for construction and must be read in conjunction with the installation instructions on <u>www.longboardproducts.com</u> . You should obtain architectural, engineering or other technical advice to assess the suitability of these drawings to the requirements of your particular project. Mayne Coatings Corp. and Longboard products accepts no liability in respect to the use of these drawings. For complete installation instructions refer to the appropriate documentation/installation-guides	6" V-GROOVE ALUMINUM ALLOY: 6063-T5 WEIGHT: 0.552 LBS/ LF SCALE: 1:1	

	6 5/8"	
	[168.70MM]	
	6" [152.51MM]	
~	1/16"	7/16" [11.40MM]
	[1.62MM]	
These drawings are published as an information guide only. These CAD drawings are intended as templates to assist the designer, they do not contain the full detail required for construction and must be read in conjunction with the installation instructions on <u>www.longboardproducts.com</u> . You should obtain architectural, engineering or other technical advice to assess the suitability of these drawings to the requirements of your particular project. Mayne Coatings Corp. and Longboard products accepts no liability in respect to the use of these drawings. For complete installation instructions refer to the appropriate documentation.	6" CHANNEL ALUMINUM ALLOY: 6063-T5 WEIGHT: 0.556 LBS/ LF SCALE: 1:1	


	6 5/8" [168.49MM] 6" [152.06MM]	
5	4/400	7/16" (11.40MM]
	1/16" [1.77MM]	
These drawings are published as an information guide only. These CAD drawings are intended as templates to assist the designer, they do not contain the full detail required for construction and must be read in conjunction with the installation instructions on <u>www.longboardproducts.com</u> . You should obtain architectural, engineering or other technical advice to assess the suitability of these drawings to the requirements of your particular project. Mayne Coatings Corp. and Longboard products accepts no liability in respect to the	6" SMOOTH PLANK ALUMINUM ALLOY: 6063-T5 WEIGHT: 0.556 LBS/ LF	
use of these drawings. For complete installation instructions refer to the appropriate documentation here www.longboardproducts.com/resources/technical-documentation/installation-guides	SCALE: 1:1	
		ISSUE DATE: 2023-09


09**-**11

www.longboardproducts.com/resources/technical-documentation/installation-guides

2-1/2" V-GROOVE PERFORATED ALUMINUM ALLOY: 6063-T5 WEIGHT: 0.275 LBS/ LF NFA: 18% SCALE: 1:1








6" V-GROOVE PERFORATED ALUMINUM ALLOY: 6063-T5 WEIGHT: 0.447 LBS/ LF the requirements of your particular project. Mayne Coatings Corp. and Longboard products accepts no liability in respect to the use of these drawings. For complete installation instructions refer to the appropriate documentation here NFA: 21% vw.longboardproducts.com/resources/technical-documentation/installation-guides SCALE: 1:1







vw.longboardproducts.com/resources/technical-documentation/installation-guides


6" SMOOTH PERFORATED ALUMINUM ALLOY: 6063-T5 WEIGHT: 0.492 LBS/ LF NFA: 21% SCALE: 1:1










4" [101.20MM] 1/16" 2 5/16" 1 11/16" [42.10MM] [1.62MM] [59.10MM] 7/16" [11.40MM] These drawings are published as an information guide only. These CAD drawings are intended as templates to assist the designer, they do not contain the full detail required for construction and must be read in conjunction with the installation instructions on <u>www.longboardproducts.com</u>. You should obtain architectural, engineering or other technical advice to assess the suitability of these drawings to the requirements of your particular project. Mayne Coatings Corp. and Longboard products accepts no liability in respect to the use of these drawings. For complete installation instructions refer to the appropriate documentation here www.longboardproducts.com/resources/technical-documentation/installation-nuides **4" CASTELLATION PLANK** ALUMINUM ALLOY: 6063-T5 WEIGHT: 0.464 LBS/ LF SCALE: 1:1 LONGBOARD www.longboardproducts.com/resources/technical-documentation/installation-guides ISSUE DATE: 2023-09-11











ISSUE DATE: 2023-09-11



TRADITIONAL BACK-TO-BACK STARTER STRIP (1-1/4") ALUMINUM ALLOY: 6063-T5 WEIGHT: 0.161 LBS/ LF SCALE: 2:1






www.longboardproducts.com/resources/technical-documentation/installation-guides

TRADITIONAL TWO PIECE J-TRACK (1-3/8") ALUMINUM ALLOY: 6063-T5 WEIGHT: 0.276 LBS/ LF SCALE: 2:1







www.longboardproducts.com/resources/technical-documentation/installation-guides

TRADITIONAL TERMINATION SET (1-3/8") ALUMINUM ALLOY: 6063-T5 WEIGHT: 0.216 LBS/ LF SCALE: 2:1









TRADITIONAL COMPRESSION JOINT (1-3/8") ALUMINUM ALLOY: 6063-T5 WEIGHT: 0.418 LBS/ LF **SCALE: 1:1**



1 1/2" [38.07MM] 3/8" [9.53MM] 1/2" [12.91MM] 2 1/8" [54.05MM] These drawings are published as an information guide only. These CAD drawings are intended as templates to assist the designer, they do not contain the full detail required for construction and must be read in conjunction with the installation instructions on <u>www.longboardproducts.com.</u> You should obtain architectural, engineering or other technical advice to assess the suitability of these drawings to the requirements of your particular project. Mayne Coatings Corp. and Longboard products accepts no liability in respect to the use of these drawings. For complete installation instructions refer to the appropriate documentation here www.longboardproducts.com/resources/technical-documentation/installation-nuides TRADITIONAL T&G U-REVEAL (1-1/2") ALUMINUM ALLOY: 6063-T5 WEIGHT: 0.260 LBS/ LF SCALE: 2:1 LONGBOARD www.longboardproducts.com/resources/technical-documentation/installation-guides ISSUE DATE: 2023-09-11







www.longboardproducts.com/resources/technical-documentation/installation-guides

TRADITIONAL U-REVEAL SET (1-1/2") ALUMINUM ALLOY: 6063-T5 WEIGHT: 0.303 LBS/ LF SCALE: 2:1






ISSUE DATE: 2023-11-06





ISSUE DATE: 2023-11-06



PRECISION STARTER J-TRACK (5/8") ALUMINUM ALLOY: 6063-5T WEIGHT: 0.208 LBS/ LF SCALE: 2:1








PRECISION J-TRACK (5/8") ALUMINUM ALLOY: 6063-5T WEIGHT: 0.175 LBS/ LF SCALE: 2:1





www.longboardproducts.com/resources/technical-documentation/installation-guides


PRECISION TWO PIECE J-TRACK (5/8") ALUMINUM ALLOY: 6063-5T WEIGHT: 0.182 LBS/ LF SCALE: 2:1




www.longboardproducts.com/resources/technical-documentation/installation-guides

PRECISION TERMINATION SET (5/8") ALUMINUM ALLOY: 6063-5T WEIGHT: 0.242 LBS/ LF SCALE: 2:1









www.longboardproducts.com/resources/technical-documentation/installation-guides


PRECISION T&G FLAT REVEAL (1/2") ALUMINUM ALLOY: 6063-5T WEIGHT: 0.134 LBS/ LF SCALE: 2:1













www.longboardproducts.com/resources/technical-documentation/installation-guides


CRAFTSMAN TWO PIECE J-TRACK (7/8") ALUMINUM ALLOY: 6063-5T WEIGHT: 0.188 LBS/ LF SCALE: 2:1






ISSUE DATE: 2023-09-11






CRAFTSMAN T&G U-REVEAL (3/4") ALUMINUM ALLOY: 6063-5T WEIGHT: 0.149 LBS/ LF SCALE: 2:1









www.longboardproducts.com/resources/technical-documentation/installation-guides

CRAFTSMAN TERMINATION SET (7/8") ALUMINUM ALLOY: 6063-5T WEIGHT: 0.248 LBS/ LF SCALE: 2:1










CRAFTSMAN J-TRACK (7/8") ALUMINUM ALLOY: 6063-5T WEIGHT: 0.208 LBS/ LF SCALE: 2:1









QUICK SCREEN CLIP **STAINLESS STEEL: 316** WEIGHT: 0.013 LBS SCALE: 2:1

